





Contents

Enigma Pocket Doors

The Pocket Door *Movement*™

INNOVATION BY SELO.

Why Enigma?		Pocket Door Kits		Technical Details	
Brand Promise	04	Standard Non Fire-Rated	14	Kit Components	11
Core Values	06	El30 Fire-Rated	16	Frame/Trim Options	32
Pocket Door Training	07	Acoustic Rated	18	Door Leaf Options	33
Why Pocket Doors?	08	Power-assisted	24	Optional Enhancements	34
Better by Design	10	Glazed Metal Leaf	26		
London Showroom	36	Telescopic	28		
Selo Academy	37	Glass Leaf	30		
Halo Assist Support	38				

Why Enigma?


Brand Promise

Since we founded in 2008, we've consistently explored opportunities to simplify bespoke and complex building methods

Replacing them with dependable systems that deliver consistent, premium outcomes. We focused on specialist doors and that's still the core of our business now.

There are three key promises we keep to add value to our customers:





INNOVATE

We have a **legacy of** industry-leading **innovation**



Our continuous development drive has led us to the forefront of industry innovation.

Our innovations become the industry norms Give detailed project assistance at every stage

SUPPORT



Proven process and industry expertise to ensure everything works out as intended.


Support surrounding your project

Why Enigma?

Core Values

We own a set of **principles that we live by.** These ten
core values run through the
heart of our organisation

Whether it be the products and services we provide, the way we treat our staff or the way we run the business. We apply these values to everything that we do:







Pocket Door Training

Complimentary Support



CPD & **Breakfast Morning** Presentations:





Unveiling Design Brilliance

Aimed at Interior Designers, this presentation helps you to understand the potential design options of Enigma Pocket Doors through product samples.





CPD

Understanding Pocket Doors

Discover the range of unique design options and system enhancements that can be achieved using pocket doors.

Product samples are used to demonstrate how the system works.



PRESENTATION


The Pocket Door Movement

Maximise space and value by making the switch from dated swing-doors to modern pocket doors; increase usable floor space, enhancing accessibility, and usability.

Why Pocket Doors?

System Benefits

Maximise Value with **Pocket Doors**



Apartments with x26 Swing Doors

x26 Pocket Doors


=39m² **MORE SPACE!**



Optimise Space

Maximise the value of your development with pocket doors:

- ✓ Maximise your Floor Space
- Maximise the number of Apartments in your Development
- ✓ Make your Interior Design stand out from the crowd!



Swing Door vs. Pocket Door







Concealed frame, shadow-gap or visible trim options are available in a range of flexible sizes. The simple, modular design allows for rapid installation. Adapt your design with optional features, such as:

- √ Full-height
- **✓** Perpendicular Wall
- **✓** Bespoke Joinery Integration
- ✓ Offset Wall Thickness



Increase Versatility

Enhance your interiors with high performance pocket doors which increase versatility by offering acoustic reduction, power assistance or even as room divides to extend space for entertaining.

- √ Room Dividers
- **✓** Enhanced Disabled Access
- **✓** Power-assisted Opening
- ✓ Acoustic, Smoke and Fire-rated Options

Why Enigma Pocket Doors?

System Benefits

Better by Design

System **Design**


The pocket door must operate smoothly and consistently without hampering the user experience.

Quality hardware is paramount for a fluid, soft close, as opposed to a wobbly, squeaky rattle! The system must also be designed so that it is easy to install consistently, limiting performance issues which may arise from poor installation.

See p12 for Pocket Door Kits







- 3 100k Cycle-tested (under load)
 Rigorously tested to withstand a lifetime of use for complete peace of mind.
- 4 Up to 140kg Load The super strong construction is capable of supporting solid timber doors up to 140kg.
- 5 Stud-like Construction

 Adaptable to support bespoke joinery,
 perpendicular walls, off-set wall build-ups.
- 6 Ribbed Side Studs
 Provide additional grip and stability when fixing the drywall.
- Design Support
 We can help you achieve the best possible design and specification with our vast experience of different projects using different interfaces and materials.



Why Enigma Pocket Doors?

Kit Components

FSC Responsibly Sourced Timber





Base Channel

The leading edge and intermediate jambs slot into the base channel of the Enigma pocket door system and are fixed into place. The door guide pin is used to keep the door in-line.



Gear Sets

The standard sliding gear set is surface-mounted to the top of the sliding door and runs within the Head Channel. The gear sets are tested to EN 1527 1998 up to 100,000 cycles.



Head Channel Junction

The leading edge and intermediate jambs are slotted into the head channel and fixed into place once plumb.




Strike Jamb

The strike jamb features rubber batwing seals so when the door is closed the leaf sits within the sealed recess. The door frame is either concealed by jointing up to, or visible trims are added.



Leading Edge Jamb

The leading edge jamb of the Enigma pocket door system is the leading support of the pocket which has a side flange for the plasterboard to butt up against.



Intermediate Jamb

The intermediate jamb forms the rest of the pocket. The aluminum profile has a timber insert which provides extra strength and facilitates easy fixing.



Head Channel

The head channel for the Enigma pocket doors is the same width as the stud, making it simple to accurately place and fix to the head stud.

Range Overview

The most *comprehensive* pocket door range

Standard Non Fire Rated The original pocket door system	14	Glazed Metal Framed Fenestra® Metal-framed pocket door leafs	26
EI30 Fire Rated		Telescopic	
30 minute fire rated	16	Double-door spans within the footprint of single	28
Acoustic Rated		Glass Leaf	
Up to 30dB acoustic attenuation with added smoke rating	18	Allow light to travel through rooms	30
Power-assisted Motus®			

Slide open and closed with powered pocket doors







Design Versatility

Never compromise functionality or beautiful design, when it comes to using pocket doors.

We offer a comprehensive range of options including fire-rated, acoustic, and smoke-rated pocket doors, as well as concealed, shadow gap, or visible trim designs to empower, rather than constrain designers' creativity. Additionally, the inclusion of a self-supporting head can be utilised when the pocket door kit cannot be directly attached to the ceiling or floor slab.

Enhanced Accessibility

A contactless electromagnetic propulsion system silently opens and closes doors with minimal to no user handling required.

By eliminating the need for physical contact, it offers a hygienic and convenient solution, particularly in environments where cleanliness and ease of access are paramount such as healthcare facilities, commercial buildings, or residential settings. The advanced propulsion system ensures smooth and efficient door operation while enhancing overall user experience.

See p24 for Power-assisted Pocket Doors

Rapid Installation

Installation is incredibly simple and fast with user-friendly instructions and straightforward assembly.

Even those with limited experience can easily complete the installation process in no time. We are also the only supplier to offer a pre-assembled kit for large quantity orders, minimising errors and simplifying scheduling for tradespeople. Increasingly popular for their spacesaving benefits and factory-built quality assurance.

See p34 for Pocket Door Enhancements

Standard Non Fire Rated

The original pocket door kit has been refined for modern construction methods to maximise space and elevate design aesthetics where fire rating isn't necessary.

Premium components and cutting-edge innovation, promising an unparalleled experience. Commonly found in apartment buildings, they grace corridors leading to bathrooms and bedrooms, elevating spaces with their exceptional quality and design.

Configurations

Designed to suit a range of opening sizes, simply cut-to-size to suit your exact opening.





Leaf Width	Leaf Height	Leaf(s)	Concealed Fram	Shadow-Gap Ki	t		Visible Trim Kit				
	Un to 0120	Single	SEL-PRT-10152		1	SEL-PRT-10206		2	SEL-PRT-10100		1
000	Up to 2130mm	Double	SEL-PRT-10170		1	SEL-PRT-10218		2	SEL-PRT-10124		1
600mm to 926mm	II. 4. 0050	Single	SEL-PRT-10155	-	1	SEL-PRT-10209	-	2	SEL-PRT-10103	-	1
	Up to 2850mm	Double	SEL-PRT-10173	Required	1	SEL-PRT-10221	Layers Required	2	SEL-PRT-10127	Layers Required	1
	Up to 2130mm	Single	SEL-PRT-10153	ers Re	1	SEL-PRT-10207	ers Re	2	SEL-PRT-10101	ers Re	1
007 1000		Double	SEL-PRT-10171	d Layers	1	SEL-PRT-10219	d Lay	2	SEL-PRT-10125		1
927mm to 1220mm	Up to 2850mm	Single	SEL-PRT-10155	Plasterboard	1	SEL-PRT-10210	Plasterboard	2	SEL-PRT-10104	Plasterboard	1
		Double SEL-PRT-10174			1	SEL-PRT-10222	Plaste	2	SEL-PRT-10128	Plaste	1
	11. 4. 0100	Single	SEL-PRT-10154	No. of	1	SEL-PRT-10208	No. of	2	SEL-PRT-10102	No. of	1
1221mm to 1650mm	Up to 2130mm	Double	SEL-PRT-10172	z	1	SEL-PRT-10220	z	2	SEL-PRT-10126	z	1
	H. 4. 0050	Single	SEL-PRT-10157		1	SEL-PRT-10211		2	SEL-PRT-10105		1
	Up to 2850mm	Up to 2850mm Double SEL-PRT-10175			1	SEL-PRT-10223		2	SEL-PRT-10129		1

Construction

Build-up is based on a 94mm stud, using 1 or 2 layers of 12.5mm plasterboard (see table), either side of the wall.

- Concealed Frame
- 6 Gear Set
- 2 Shadow-Gap
- **Door Leaf** (options available)
- 3 Visible Trim
- Strike Jamb
- 6 Head Channel



Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.



100k Cycle Load Tested



Supports up to 140kg Doors

Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations to suit your specific requirements.



Single Leaf



Double Leaf

Door Leaf Options

Solid timber core with hardwood lippings finished to your specification.

See p33



Laminated (Timber)



Painted (Timber)



Veneered (Timber)

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

Customise your chosen pocket door system with a range of additional system options and enhancements to ease installation, optimise functionality and enhance the user experience.

See p34



Pre-assembled Rapid Install



Full Height (Flush)

Dampener



Self-supporting Head



Perpendicular Wall



Touch Latch



Flush Ironmongery Soft Close/Open Including Lock options



Simultaneous Open Double-leaf only



EI30 Fire Rated

Certified 30-minute fire rated kits for multi-story residential properties and entrances leading off the main stairwell for homeowners and designers alike.

All frame options are provided to you pre-primed ready for on-site painting in your chosen finish and colour. Moreover, the frames can be constructed in differing species of hardwood timber and different finishes at your request.

Configurations

Designed to suit a range of opening sizes, simply cut-to-size to suit your exact opening.





Leaf Width	Leaf Height	Leaf(s)	Concealed Fram	Shadow-Gap Ki	t		Visible Trim Kit				
	Un to 2120mm	Single SEL-PRT-10158 2 SEL-PRT-10212 Up to 2130mm							SEL-PRT-10106		1
000	Op to 2130mm	Double	SEL-PRT-10176		2	SEL-PRT-10224		2	SEL-PRT-10130		1
600mm to 926mm	Un to 2050	Single SEL-PRT-10161		0	2	SEL-PRT-10215	70	2	SEL-PRT-10109	ъ	1
	Up to 2850mm	Double	SEL-PRT-10178	quire	2	SEL-PRT-10226	quire	2	SEL-PRT-10132	quire	1
	Up to 2130mm	3	SEL-PRT-10159	Layers Required	2	SEL-PRT-10213	Layers Required	2	SEL-PRT-10107	Layers Required	1
007 to 1000		Double	SEL-PRT-10177		2	SEL-PRT-10225		2	SEL-PRT-10131		1
927mm to 1220mm		Single	SEL-PRT-10162	Plasterboard	2	SEL-PRT-10216	Plasterboard	2	SEL-PRT-10110	Plasterboard	1
	Up to 2850mm	Double	SEL-PRT-10179 [†]	Plaste	2	SEL-PRT-10227 [†]	Plaste	2	SEL-PRT-10133 [†]	Plaste	1
		Single	SEL-PRT-10160	No. of	2	SEL-PRT-10214	No. of	2	SEL-PRT-10108	No. of	1
1221mm to 1500mm	Up to 2130mm	Double	N/A	Z	-	N/A	z	-	N/A	Z	-
		Single	SEL-PRT-10163*		2	SEL-PRT-10217*		2	SEL-PRT-10111*		1
	Up to 2850mm	Double	N/A		-	N/A		-	N/A		-

Construction

Build-up is based on a 94mm stud, using 1 or 2 layers of 12.5mm plasterboard (see table), either side of the wall.

- Concealed Frame
- 6 Gear Set
- 2 Shadow-Gap
- **Door Leaf** (options available)
- 3 Visible Trim
- 8 Intumescent Strips
- Strike Jamb
- 6 Head Channel



Performance

Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.



100k Cycle Load Tested



Supports up to 140kg Doors



Up to El30 Fire Rated

Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations to suit your specific requirements.



Single Leaf



Double Leaf

Door Leaf Options

Solid timber core with hardwood lippings finished to your specification.





Laminated (Timber)



Painted (Timber)



Veneered (Timber)

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

Customise your chosen pocket door system with a range of additional system options and enhancements to ease installation, optimise functionality and enhance the user experience.

See p34



Pre-assembledRapid Install



Full Height (Flush)



Self-supporting Head



Perpendicular Wall



Touch Latch



Flush Ironmongery
Including Lock options



Soft Close/Open
Dampener



Self Closer Automatic Close



Simultaneous Open

Double-leaf only



Acoustic Rated

Reduce the transmission of sound, quickly and simply with an El30Sa acoustic rated sliding pocket door which offers 30 minute fire and smoke protection.

Within contemporary open-plan spaces, it's essential to have the ability to isolate sound when needed. Acoustic pocket doors are the perfect solution, allowing for the maximum amount of clear floor space whilst open, with the required reduction in sound when closed.

Configurations

Designed to suit a range of opening sizes, simply cut-to-size to suit your exact opening.

Leaf Height





Lear Width	Lear Height		Zoub Visible IIIII Ki				"
710	Up to 2130mm		SEL-PRT-10236		1		SE
710mm to 800mm	Up to 2850mm		SEL-PRT-10243		1		SE
835mm to 925mm	Up to 2130mm		SEL-PRT-10237		1		SE
833mm to 923mm	Up to 2850mm	_	SEL-PRT-10244	eq	1	_	SE
960mm to 1050mm	Up to 2130mm	uatio	SEL-PRT-10238	Required	1	uatio	SE
960mm to 1050mm	Up to 2850mm	Attenuation	SEL-PRT-10245		1	Attenuation	SE
1085mm to 1175mm	Up to 2130mm	Acoustic/	SEL-PRT-10239	of Plasterboard Layers	1	Acoustic	SE
1069mm to 1179mm	Up to 2850mm	Acou	SEL-PRT-10246	rboar	1	Acol	SE
1210mm to 1300mm	Up to 2130mm	28dB	SEL-PRT-10240	laste	1	30dB	SE
1210mm to 1300mm	Up to 2850mm		SEL-PRT-10247		1		SE
4225	Up to 2130mm		SEL-PRT-10241	No.	1		SE
1335mm to 1425mm	Up to 2850mm		SEL-PRT-10248		1		SE
4400	Up to 2130mm		SEL-PRT-10242		1		SE
1460mm to 1500mm	Up to 2850mm		SEL-PRT-10249		1		SE

30dB Concealed Kit			30dB Shadow-Gap I	Cit		30dB Visible Trim Kit					
SEL-PRT-10264		2	SEL-PRT-10278		2	SEL-PRT-10250		2			
SEL-PRT-10271		2	SEL-PRT-10285		2	SEL-PRT-10257		2			
SEL-PRT-10265		2	SEL-PRT-10279		2	SEL-PRT-10251		2			
SEL-PRT-10272	eq	2	SEL-PRT-10286	eq	2	SEL-PRT-10258	eq	2			
SEL-PRT-10266	Required	2	SEL-PRT-10280	Required	2	SEL-PRT-10252	Required	2			
SEL-PRT-10273		2	SEL-PRT-10287	Layers R	2	SEL-PRT-10259	Layers R	2			
SEL-PRT-10267	d Lay	2	SEL-PRT-10281		2	SEL-PRT-10253		2			
SEL-PRT-10274	Plasterboard Layers	2	SEL-PRT-10288	Plasterboard	2	SEL-PRT-10260	Plasterboard	2			
SEL-PRT-10268	lastel	2	SEL-PRT-10282	lastel	2	SEL-PRT-10254	lastel	2			
SEL-PRT-10275	of	2	SEL-PRT-10289	of	2	SEL-PRT-10261	of	2			
SEL-PRT-10269	No.	2	SEL-PRT-10283	No.	2	SEL-PRT-10255	No.	2			
SEL-PRT-10276		2	SEL-PRT-10290		2	SEL-PRT-10262		2			
SEL-PRT-10270		2	SEL-PRT-10284		2	SEL-PRT-10256		2			
SEL-PRT-10277		2	SEL-PRT-10291		2	SEL-PRT-10263		2			

Performance

Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.



100k Cycle Load Tested



Supports up to

140kg Doors

Up to El30Sa Fire Rated



Smoke Seals Included



28dB - 30dB Acoustic

Door Leaf Configurations

Available as a single door leaf only (opening from left or right).



Single Leaf

Door Leaf Options

Solid timber core with hardwood lippings finished to your specification.

See p33



Laminated (Timber)



Painted (Timber)



Veneered (Timber)

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32

See p34



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

Customise your chosen pocket door system with a range of additional system options and enhancements to ease installation, optimise functionality and enhance the user experience.



Pre-assembled Rapid Install



Self-supporting Head



Perpendicular Wall



Touch Latch



Flush Ironmongery*
Including Lock options

*Handle shown is not fire rated




















Power Assisted Motus®

Power-assisted pocket doors utilise a contactless electro magnetic propulsion system to silently open and close the door with no or minimal user handling.

The standard method to control the powered doors is by using 'nudge and go'; simply nudge the door open or closed and Motus will assist with the rest. An optional 'Touchless sensor' can be fitted to the wall, simply move your hand in front of the sensor to activate the door.



Designed to suit a range of opening sizes, simply cut-to-size to suit your exact opening.







Leaf Width	Leaf Height	Leaf(s)		NFR Concealed	Kit		NFR Shadow-Ga	NFR Shadow-Gap Kit			NFR Visible Trim Kit			EI30 Concealed Kit		El30 Shadow-Gap Kit			El30 Visible Trim Kit										
	Un to 0420	Single		SEL-PRT-10044		1	SEL-PRT-10078		2	SEL-PRT-10000		1		SEL-PRT-10050	2	SEL-PRT-10084		2	SEL-PRT-10006		1								
0.75	Up to 2130mm	Double		SEL-PRT-10062		1	SEL-PRT-10090		2	SEL-PRT-10024		1		SEL-PRT-10068	2	SEL-PRT-10096		2	SEL-PRT-10030		1								
875mm	lla to 2050mm	Single		SEL-PRT-10047	ъ	1 SEL-PRT-100	SEL-PRT-10081	Б	2	SEL-PRT-10003	ъ	1		SEL-PRT-10053	2	SEL-PRT-10087	ъ	2	SEL-PRT-10009	ъ	1								
Up to 2850mm	Double		SEL-PRT-10065	quire	1	SEL-PRT-10093	equire	2	SEL-PRT-10027	equire	1		SEL-PRT-10070	2	SEL-PRT-10098	guire	2	SEL-PRT-10032	quire	1									
	Up to 2130mm	Single	ated	SEL-PRT-10045	ers Re	1	SEL-PRT-10079	ers Re	2	SEL-PRT-10001	ers Re	1	lated	SEL-PRT-10051 ຜູ້	2	SEL-PRT-10085	ers Re	2	SEL-PRT-10007	ers Re	1								
	Op to 2130mm	Double	-fire R	SEL-PRT-10063	d Lay	1	SEL-PRT-10091	d Lay	2	SEL-PRT-10025	d Lay	1	Fire	SEL-PRT-10069	2	SEL-PRT-10097	d Lay	2	SEL-PRT-10031	d Lay	1								
1000mm	lla to 2050mm	Single	Non	SEL-PRT-10048	rboar	1	SEL-PRT-10082	erboar	2	SEL-PRT-10004	rboar	1	EI30	SEL-PRT-10054	2	SEL-PRT-10088	rboar	2	SEL-PRT-10010	rboar	1								
	Up to 2850mm	Double		SEL-PRT-10066	Plaste	1	SEL-PRT-10094	Jaste	Plaste	Plaste	Plaste	Plaste	Plaste	Plaste	Plaste	Plaste	2	SEL-PRT-10028	Plaste	1		SEL-PRT-10071†	2	SEL-PRT-10099 [†]	Plaste	2	SEL-PRT-10033 [†]	Plaste	1
	Up to 2130mm	Single		SEL-PRT-10046	lo. of	1	SEL-PRT-10080	lo. of	2	SEL-PRT-10002	lo. of	1		SEL-PRT-10052 6	2	SEL-PRT-10086	lo. of	2	SEL-PRT-10008	lo. of	1								
1125	Op to 2130mm	Double		SEL-PRT-10064	Z	1	SEL-PRT-10092	Z	2	SEL-PRT-10026	z	1		N/A	-	N/A	Z	-	N/A	Z	-								
1125mm U	lla to 2050mm	Single		SEL-PRT-10049		1	SEL-PRT-10083		2	SEL-PRT-10005		1		SEL-PRT-10055*	2	SEL-PRT-10089*		2	SEL-PRT-10011*		1								
	Up to 2850mm	Double		SEL-PRT-10067		1	SEL-PRT-10095		2	SEL-PRT-10029		1		N/A	-	N/A		-	N/A		-								

Performance

Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.



100k Cycle Load Tested



Supports up to Up to El30 80kg Doors Fire Rated



Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations with simulations opening as standard.



Single Leaf



Double Leaf

Door Leaf Options

Solid timber core with hardwood lippings finished to your specification.





Laminated (Timber)



Painted (Timber)



Veneered (Timber)

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

Customise your chosen pocket door system with a range of additional system options and enhancements to ease installation, optimise functionality and enhance the user experience.

See p34



Full Height* (Flush)



Self-supporting Head



Perpendicular Wall



Flush Ironmongery



Touchless Sensor


*Image shown for illustration purposes only. Actual configuration varies.



Glazed Metal Leaf Fenestra®

A touch of glass! Aluminium framed glazed pocket doors are an elegant, effective way of making an interior design statement.

A luxury upgrade for high end residential applications, beautifully engineered for architects, designers and end users. Each door leaf is custom made to your specification.



Configurations

Fenestra is built to your individual project requirements in a range of different design styles.





Fenestra® Framed Glass

6-8mm thick glass enclosed within a aluminium frame for the ultimate 'Picture-frame' feature pocket door.



Fenestra® Ladder Design

Horizontal bars integrated within the door frame break-up the glazing to create a subtle Art-Deco design style.



Fenestra® Glazing & Infill

Completely customisable the door can combine glazing, horizontal and vertical bars as well as infill panels.



Performance

Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.



100k Cycle Load Tested



Supports up to 140kg Doors

Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations to suit your specific requirements.



Single or **Double Leaf**

Frame Types

Configurations shown can be customised to suit your project.



Framed Glass



Ladder Design



Glazing & Infill

Door Leaf Frame Finishes

Powdercoated or anodised to your specification. If the finish you require isn't listed please talk to our design team to discuss bespoke options.



Silver Brushed (E2)

Bronze

(C33)



Dk Silver Brushed (2E2)

Dark Brown

(C34)



Metallic Gold (C23)



Metallic Silver (C31)





Infill Options

A range of infill options including several glass configurations enabling you to retain light and privacy.



Clear Glass



Opaque Glass



Reeded Glass



Mirrored Glass



Mesh **Panel**

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

System options and enhancements to optimise functionality and enhance the user experience.





Full Height (Flush)



Head



Perpendicular Wall



Telescopic

The telescopic opening feature enables two door leaves to slide into a single pocket, allowing you to create double-door spans within the footprint of a single door.

The perfect solution to provide wide-access without the constraints of neighbouring walls or the inconvenience of traditional double doors.

Configurations

Designed to suit a range of opening sizes, simply cut-to-size to suit your exact opening.







Telescopic Kit IllustrationsConcealed Frame & Strike Jamb

Leaf Width	Leaf Height	Leaf(s)		Concealed Fram	Concealed Frame Kit			Visible Trim Kit			Concealed Fram	Shadow-Gap Kit	Visible Kit						
	U. t. 0100	Single	SEL-PRT-10300		1	SEL-PRT-10292		1		SEL-PRT-10324		2	SEL-PRT-10308		2	SEL-PRT-10316		2	
600mm	Up to 2130mm	Double		SEL-PRT-10304	ъ	1	SEL-PRT-10296	eq	1		SEL-PRT-10328	0	2	SEL-PRT-10312		2	SEL-PRT-10320	e d	2
to 926mm		Single	ded	SEL-PRT-10302	Require	1	SEL-PRT-10294	Require	1	pe	SEL-PRT-10326	Required		SEL-PRT-10310	Required	2	SEL-PRT-10318	Require	2
	Up to 2815mm	Double	le Boarde	SEL-PRT-10306	d Layers	1	SEL-PRT-10298	d Layers	1	ole Boarde	SEL-PRT-10330	d Layers	2	SEL-PRT-10314	d Layers	2	SEL-PRT-10322	d Layers	2
		Single	Singl	SEL-PRT-10301	sterboar	1	SEL-PRT-10293	sterboar	1	Double	SEL-PRT-10325	sterboar	2	SEL-PRT-10309	sterboar	2	SEL-PRT-10317	sterboar	2
927mm	Up to 2130mm	Double		SEL-PRT-10305	o. of Pla	1	SEL-PRT-10297	No. of Pla	1		SEL-PRT-10329	o. of Pla	2	SEL-PRT-10313	No. of Pla	2	SEL-PRT-10321	o. of Pla	2
to 1300mm		Single		SEL-PRT-10303	ž	1	SEL-PRT-10295	Z	1		SEL-PRT-10327	Z	2	SEL-PRT-10311	Z	2	SEL-PRT-10319	Ż	2
	Up to 2850mm	Double		SEL-PRT-10307		1	SEL-PRT-10299		1		SEL-PRT-10331		2	SEL-PRT-10315		2	SEL-PRT-10323		2

Performance

Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.





100k Cycle Load Tested

Supports up to 140kg Doors

Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations to suit your specific requirements.







Single (x2 Leaves)

Double (x4 Leaves)

Door Leaf Options

Solid timber core with hardwood lippings finished to your specification.





Laminated (Timber)



Painted (Timber)



Veneered (Timber)

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

Customise your chosen pocket door system with a range of additional system options and enhancements to ease installation, optimise functionality and enhance the user experience.

See p34



Pre-assembledRapid Install



Full Height*
(Flush)



Perpendicular Wall



Flush Ironmongery
Including Lock options

*Image shown for illustration purposes only. Actual configuration varies.



Glass Leaf

For the ultimate frameless finish, the Enigma system can be provided with a glass leaf enabling you to retain light and control privacy.

When using a glass leaf the opening width of the jambs are reduced to suit the thinner door. Specially designed glass clamps are provided with the sliding gear.

Configurations

Designed to suit a range of opening sizes, simply cut-to-size to suit your exact opening.







Glass Leaf Kit Illustrations
Concealed Frame & Strike Jamb

Leaf Width	Leaf Height	Leaf(s)	Concealed Frame Ki	Shadow-Gap Kit			Visible Trim Kit				
		Single SEL-PRT-10198			1	SEL-PRT-10228		2	SEL-PRT-10144		1
000	Up to 2130mm	Double	SEL-PRT-10202		1	SEL-PRT-10232	0	2	SEL-PRT-10148		1
600mm to 926mm	Up to 2850mm	Single	SEL-PRT-10200	Required	1	SEL-PRT-10230	Required	2	SEL-PRT-10146	Required	1
		Double	SEL-PRT-10204	rd Layers	1	SEL-PRT-10234	d Layers	2	SEL-PRT-10150	d Layers	1
	H- 4- 0100	Single	SEL-PRT-10199	Plasterboard	1	SEL-PRT-10229	Plasterboard	2	SEL-PRT-10145	Plasterboard	1
007 to 1000	Up to 2130mm	Double	SEL-PRT-10203		1	SEL-PRT-10233	No. of Pla	2	SEL-PRT-10149	No. of Pla	1
927mm to 1220mm	Ha to 2050mm	Single	SEL-PRT-10201	No.	1	SEL-PRT-10231	Z	2	SEL-PRT-10147	Z	1
	Up to 2850mm	Double	SEL-PRT-10205		1	SEL-PRT-10235		2	SEL-PRT-10151		1

Performance

Sustainably sourced timber parts. System tested to over 100k cycles. Supports doors up to 140kg.



UP TO **80**kg

100k Cycle Load Tested

Supports up to 80kg Doors

Door Leaf Configurations

Available as a single (opening from left or right) or double-leaf configurations to suit your specific requirements.



Single D



Double Leaf

Door Leaf Options

The 10mm thick glass door leaf is available in either clear or opaque glass to suit individual applications.





Leaf

Clear Glass



Opaque Glass

Frame/Trim Options

Choose a trim to suit your individual interior design style.

See p32



Concealed Frame



Shadow-Gap Frame



Visible Trim

Optional Enhancements

Customise your chosen pocket door system with a range of additional system options and enhancements to ease installation, optimise functionality and enhance the user experience.

See p34



Pre-assembled Rapid Install



Full Height* (Flush)



Self-supporting Head



Perpendicular Wall



Soft Close/Open
Dampener



Simultaneous Open
Double-leaf only

*Image shown for illustration purposes only. Actual configuration varies.



Technical Details

Enigma Pocket Doors

Trim options to suit your interior design



Concealed Frame

Enhance your contemporary interior with a minimalist design and seamless aesthetics.



Shadow-gap Frame

Creating clean, minimalist lines, Shadow Gap adds a subtle, unique feature to the room.



Visible Trim

An elegant, traditional look, Visible Trim Enigma is for use with architraves.

Door Leaf options



Laminated Timber

Solid timber core with hardwood lippings on all 4 sides with a tough laminate coating for added durability.



Painted Timber

Solid timber core with hardwood lippings on all 4 sides, painted to a RAL colour of your choice.



Veneered Timber

Solid timber core with hardwood lippings on all 4 sides, veneered in your choice of timber.



Glass

Glass leaf for enhanced light and style. Choose form clear or obscured/privacy glass.

Technical Details


Enigma Pocket Doors

Optional enhancements elevating user experience



Pre-assembled Kit

Revolutionising installation convenience with pre-assembled kits tailored to seamlessly fit your structural openings.



Full Height Flush Head Kit

Full height, floor to ceiling Enigma doors give the ultimate open and spacious feel. Available in both non fire rated and El30 configurations.



Self-supporting Head Kit

For situations where fit the head of the pocket door kit won't fit directly to the ceilings, or floor slab and deflection tolerance is required. Enables the head to be fitted either end and support up to 120kg.



Perpendicular Wall

Used for applications where a door closes against a flat wall; the perpendicular wall jamb profile is provided.



Simultaneous Opening

Open both doors while only operating one leaf. Available on timber leaf kits only.

Order Code SEL-PRT-00924



Soft Close/Open

Dampened opening and closure to create the ultimate finish to the sliding doors. The modular unit makes installation simple.


Order Code SEL-PRT-00368 / SEL-PRT-00557



Self-close

The closer is provided with infinite adjustment providing an extremely user friendly experience. Suitable for doors up to 900mm wide.

Order Code SEL-PRT-00923



Handles (Flush-fit)

Complimentary ironmongery manufactured in satin stainless steel. Should a specific finish be required the leaf can be provided without cut-outs.


Rectangular Flush Pull Set Order Code SEL-PRT-01592 Square Flush Pull Set Order Code SEL-PRT-01593 Oval Flush Pull Set Order Code SEL-PRT-01594 Circular Flush Pull Set Order Code SEL-PRT-01595



Touch Latch

130N touch latch allows you to completely conceal the door leaf within the cavity and removes the need for a finger pull.

Order Code SEL-PRT-00619



Locks (Flush-fit)

Privacy locks with integral thumb turn, handle and emergency coin release.

Non Fire Rated Sliding Door Lock Order Code

SEL-PRT-00290

Fire Rated
Sliding Door Lock
Order Code


SEL-PRT-01604

Showroom


London WC1E 7BT

A space for **Architects**, **Designers and Contractors** to share and enjoy

Our Hub is located within the Building Centre, Bloomsbury. The centre showcases the best in materials and manufacturing alongside the work of leading architects and designers to inform and inspire.







Product Training & Certification




Complimentary training for both **specifiers** and **installers**

TRAINING & CERTIFICATION

Selo Academy has been designed to create an immersive and engaging environment for specifiers and installers at all stages of their career.

Practical training is provided by our product technicians. We join you on-site to complete an real-world installation demonstration.





How the Training Day is structured:



Technical & Theory

Harry Purdom starts the day with a theory-based educational session covering the product features to assist with installation and the different applications to ensure compliance.



Practical Installation

Installation training with a fitting demonstration from our site technician, then installing the doors under observation. Featuring technical tips and tricks to ensure a compliant and simple installation.



Common Mistakes

Lessons learned session.
All featured from Enigma's vast experience with pocket doors on site – what to look out for and what to be aware of.



Support

Surrounding your project



Project assistance at every stage

call 020 3880 0339 email support@enigmapocketdoors.com







STAGE #1

Concept

Our engagement at the initial concept stage helps to ensure that design aspirations can be achieved and compliance requirements fulfilled.

STAGE #2

Specification

Providing in-depth support in clarifying the project specification, securing all necessary compliance certification and if required, conducting site visits.


STAGE #3

Execution

As soon as a confirmed order is placed we assign a dedicated Project Manager. We will come to site and go through the schedule, provide an install demo, and conduct a compliance review.







Contact

Support

Our **support** goes above and beyond, **like no other**.

call 020 3880 0339

email info@enigmapocketdoors.com





