

## Dimensional Tolerances

Deviations of height, width, thickness and squareness applied to the finished door leaf in accordance with the following standards:

### Fire Rated



BS EN 1529:2021 Class 2  
BS EN 1530:2000 Class 4

### NFR

BS EN 1529:2021 Class 1  
BS EN 1530:2000 Class 3

### General Advice

<b>A</b>	<b>Thickness</b>	<b>Fire Rated</b>	<b>NFR</b>
	Nominal value	+/- 1mm	+/- 1.5mm
<b>B</b>	<b>Height</b>	<b>Fire Rated</b>	<b>NFR</b>
	Nominal value	+/- 1.5mm	+/- 2mm
<b>C</b>	<b>Width</b>	<b>Fire Rated</b>	<b>NFR</b>
	Nominal value	+/- 1.5mm	+/- 2mm



### Other Measurements\*

<b>Squareness</b>	<b>Fire Rated</b>	<b>NFR</b>
Nominal value	1.5mm	1.5mm
<b>Twist</b>	<b>Fire Rated</b>	<b>NFR</b>
Nominal value	2mm	4mm
<b>Bow</b>	<b>Fire Rated</b>	<b>NFR</b>
Nominal value	2mm	4mm
<b>Cup</b>	<b>Fire Rated</b>	<b>NFR</b>
Nominal value	1mm	2mm

\*When measured in accordance with BS EN 951 & BS EN 952.

**Confidence. Compliance. Delivered.**

call 020 3880 0339 email [sales@selo.global](mailto:sales@selo.global) [www.selo.global](http://www.selo.global)

halo  
assist

